





# **MINCO PIPE, Inc.**

## **Ceramic Coated Pipe**



### **Multi-Use Lance**

- **Oxygen Injection**
- **Powder Injection**



**M**inco Ceramic Coated Pipe (CCP) is used primarily for oxygen injection into electric arc furnaces. Various other applications of MINCO CCP include powder injections, tap hole cleaning, and opening nozzles in ladles, tundishes, and EBTs.


MINCO CCP was developed to increase lance life beyond that of conventional calorized pipe. With our innovative method of refractory deposition for both interior and exterior coatings, MINCO CCP provides unequalled lance life at a lower cost.

## ***Various Uses of MINCO CCP***

Applications in addition to cutting scrap, raising bath temperatures and decarburizing include the following:


- opening nozzles in tundishes and ladles
- injecting carbon and other powders into the electric furnace and ladle
- opening the iron notch of a blast furnace
- removing slag adhering to the tapping notch of converters and various kinds of ladles
- blowing argon into ladles
- raising temperature when steel is treated with KR, DH, and RH methods
- blowing argon and oxygen into the AOD
- injecting flux for degassing in aluminum melting furnaces.

## ***Cross Section of MINCO CCP***



# MINCO CCP

## Manufacturing Process Flow Chart



## **Minco CCP – Made to order**

### **Connection Specifications**


Three pipe connection methods are available. When placing any order, please specify which of the following connection methods is needed.



### **Standard Sizes of MINCO CCP**

Pipe Nom. Diameter	Length	Pieces Per Bundle	Pipe Wall Thickness		
			Schedule 40	Schedule 30	"Ultra Tubing"
1/2" (12.7 mm)	18'	184	0.109"	—	—
3/4" (18.75 mm)	18'	127	0.113"	0.095"	0.090"
1" (25.4 mm)	18'	91	0.133"	0.104"	0.095"
1-1/4" (31.75 mm)	18'	61	0.140"	0.110"	0.104"
1-1/2" (38.1 mm)	18'	52	0.145"	0.114"	0.109"
1/2" (12.7 mm)	9'	184	0.109"	—	—
3/4" (18.75 mm)	9'	127	0.113"	0.095"	0.090"
1" (25.4 mm)	9'	91	0.133"	0.104"	0.095"
1-1/4" (31.75 mm)	9'	61	0.140"	0.110"	0.104"
1-1/2" (38.1 mm)	9'	52	0.145"	0.114"	0.109"

*Manufacturing and Sales Headquarters*



## **MINCO PIPE, Inc.**

3400 W. Marshall Ave., Suite 208 • Longview, TX 75604

Tel: 903/759-2711 • Fax: 903/759-8950